

File E74779SP  
Project 03NB90882

Issued: September 22, 1982  
Revised: June 13, 2003

REPORT

on

UNLISTED COMPONENT  
COMPONENT - ATTACHMENT PLUGS, FUSELESS

For Use Only in Applicant's

CORD SETS AND POWER SUPPLY CORDS

\*Powertech Industrial Co., Ltd.  
Taipei Hsien, Taiwan

Copyright © 1982 Underwriters Laboratories Inc.

## DESCRIPTION

## PRODUCT COVERED:

\*USU, CNU - Unlisted Component - Attachment Plug Cap Cat. Nos. CC-01, CC-001T, CC-002, CC-002A, CC-002B, CC-002C, CC-002N, CC-002NG, CC-002I, CC-002M, CC-002R, C-108, SD-010, SD-014, SD-018, H111, H110, ABM071, APF051, **APM241**, APM251, **APM261**.

## NOTE TO THE INSPECTOR:

INSPECTOR SHALL VERIFY that blades described in this Section shall be crimped and soldered unless specifically described as a R/C blade (AXNU2) including manufacturer's name and Catalog Number. Inspector shall verify that soldering shall flow through the crimp area and that solder is shiny and smooth, denoting a proper solder joint. This requirement only applies to blades used on No. 18 AWG through No. 10 AWG type flexible cord.

## ELECTRICAL RATING:

Cat. No.	Config.	Cord AWG	Electrical A/V
CC-001	1-15	18,16/2(HPN)	10,13,15/125
CC-001T	1-15	18,16/2(HPN)	10,13,15/125
CC-002, -002C	5-15	18,16,14/3	10,13,15/125
CC-002B	5-15	18,16,14/3	10,13,15/125
CC-002BG	5-15	18,16,14/3	10,13,15/125
CC-002N	5-15	18,16,14/3	10,13,15/125
CC-002NG	5-15	18,16,14/3	10,13,15/125
CC-002I	5-15	14/3	15/125
CC-002R	5-15	18,16,14/3	10,13,15/125
CC-001R	5-15	18,16,14/3	10,13,15/125
CC-002A	5-15	18,16,14/3	10,13,15/125
CC-002M	5-15	16,14/3	13,15/125
SD-010	5-15	12/3	15/125
SD-014	5-20	12/3	20/125
SD-018	5-15	16,14/3	13,15/125
H111	5-15	16/3	13/125
C-108	5-15	16,14,12,10/3	13,15,15,15/125
H110	1-15	16/2	13/125
ABM071	5-15	14,12/3	15,15/125
APF051	1-15	18,16,14/2	10,13,15/125
APM241	5-15	14,12/3	15,15/125
APM251	5-15	14,12/3	15,15/125
<b>APM261</b>	<b>5-15</b>	<b>16,14/3</b>	<b>13,15/125</b>

**TECHNICAL CONSIDERATIONS (NOT FOR FIELD REPRESENTATIVE'S USE):**

For use only in applicant's cord sets and power supply cords where the acceptability is determined by Underwriters Laboratories Inc.

USU - Indicates investigation to United States UL 817, **Eleventh Edition.**

CNU - Indicates investigation to Canadian National Standard C22.2 No. 21-95, **Eighth Edition.**

**CONDITIONS OF ACCEPTABILITY:**

1. These devices have been evaluated when molded-on the specific conductor size specified in this Procedure.
2. Use with any other size cord may require additional evaluation.
3. These fittings should be used only within their electrical rating.
4. Model CC-002, CC-002C, CC-002N and CC-002NG wired with No. 14, 16, 18/3 AWG, Type SJTW flexible cord has been evaluated for outdoor use.
5. Model SD-010 wired with No. 12/3 AWG, Type SJTW flexible cord has been evaluated for outdoor use.